
The Perfect Temperature. Every Time.

EZ HEATER

The best solution for on-demand hot water



The EZ Heater[®] delivers hot water with precise temperature control, increased energy efficiency, and minimal maintenance. With thousands of installations in service since 2005, the EZ Heater[®] is the clear choice.

BENEFITS

Precise temperature control (+/- 1 degree) helps you reach & hold your desired set point

On-Demand Heating so you never run out of hot water, wherever you need it



Worry-Free Operation eliminates frequent maintenance downtime/production failures



Self-Cleaning Design minimizes hard water scaling & fouling

IMPACT STATEMENT

Meat Processing & Pet Food facilities trust the EZ Heater[®] for their hot water needs





Save Money Mee Decrease A Energy Costs*





Easy Installation Integrate with existing equipment



*of 28% or more when compared to a Heat Exchanger

THE STANDARD FOR WATER HEATING

Simple yet powerful - the tagline that the EZ Heater[®] embodies in every process. Regardless of how much hot water you need, when and where you need it, gone are the days of your supply not meeting your demand.

By delivering hot water for your Hose Stations, Central Hot Water, Clean-in-Place (CIP), and Tank Heating needs, the EZ Heater® can be utilized anywhere in your plant - as either a stand-alone or a turnkey skidded solution. With the ability to be plugged directly into your current piping setup, the EZ Heater® helps keep installation costs low.


> Modulating stem plug adjusts, controls and meters steam flow

> > **Directly integrates** into existing plant utilities

The Perfect Temperature. **Every Time.**

FEATURES

- · Simple internal design allows for an uninterrupted heating cycle
- · Safety-focused operations utilize a steam shut-off valve to ensure safe steam conditions
- · Plug & Play capabilities allow for direct connections to existing piping
- Exceptional Energy Savings over heat exchangers





FOR MORE

Confidence



100% performance guarantee gives you peace of mind that our products will perform as specified by YOUR application.

SPECIFICATIONS

Applications

General Water Heating Central Hot Water Systems CIP/Washdown Hose Stations (140°F or 180°F water) Spray Bar Tempered Water Jacketed Reactor Heating Tank Heating & Washing

Max pressure - 195 PSIG / 13.4 Barg Max temperature - 400°F / 204°C

Pressure & Temperature

Industries Served

Food & Beverage Chemical Paper & Pulp Ethanol, Starches & Sweeteners



EZ Heater® with Hydro-Thermal's Hydrive Linear Actuator (HLA)

Connections

H310 - H320: NPT H330 - H360: Flanged, ANSI Class 150#

Material of Construction Cast 316 Stainless Steel [A351-CF8M]

Compliances Designed to ASME Sec. VIII, Div.1 CE/PED & CRN available upon request

Internal Wetted Parts 316/316L Stainless Steel

Sizing & Process Parameters 1"-6" / DN25-DN150	H310			H320		H330		H340		H360	
Steam Inlet (in. / mm.)	1.0	25.4	2.0	50.8	3.0	76.2	4.0	101.6	4.0	101.6	
Process Inlet (in. / mm.)	1.0	25.4	2.0	50.8	3.0	76.2	4.0	101.6	6.0	152.4	
Process Outlet (in. / mm.)	1.0	25.4	2.0	50.8	3.0	76.2	4.0	101.6	6.0	152.4	
Min. Flow (GPM / m ³ /hr)	2	0.5	10	2.3	22	5.0	40	9.1	40	9.1	
Max. Flow (GPM / m³/hr)	35	7.9	150	34.1	330	75.0	600	136.3	1,000	227.1	
Body Weight (lbs./kg)	17.0	7.7	27.0	12.1	151.0	68.5	210.0	95.3	233.0	105.7	

H310 - H330 units come standard with a Hydrive Linear Actuator

Skidded Turnkey Solutions available for all models - contact your Sales Representative for more information

THE GLOBAL REACH OF HYDRO THERMAL

From the original Hydroheater® developed in 1934 to our latest designed and engineered solutions today, we harness the power of steam. We design, engineer, and deliver ultra-precise and dependable heating solutions that optimize temperature control, increase energy efficiency, and minimize maintenance requirements.

With more than 20,000 installations in 90+ countries - all backed by our 100% performance guarantee - we help you achieve The Perfect Temperature. Every Time.

Need more information about Hydro-Thermal products? info@hydro-thermal.com www.hydro-thermal.com 800.952.0121

H340 & H360 units only eligible with Fisher Actuators



The Perfect Temperature. Every time.

400 Pilot Court | Waukesha, WI 53188 Follow us in @Hydro-Thermal

EZ-211 RevD/2023 © 2023 Hydro-Thermal Corp. All Rights Reserved. EZ Heater, EZ Skid, and Hydro-Thermal are all protected under U.S. and foreign patents and trademarks



